



## Arizona State Board of Nursing

4747 North 7<sup>th</sup> Street, Suite 200  
Phoenix, AZ 85014-3655  
Phone (602) 771-7800 Fax (602) 771-7888  
E-Mail: [arizona@azbn.gov](mailto:arizona@azbn.gov)  
Home Page: [www.azbn.gov](http://www.azbn.gov)

An advisory opinion adopted by AZBN is an interpretation of what the law requires. While an advisory opinion is not law, it is more than a recommendation. In other words, an advisory opinion is an official opinion of AZBN regarding the practice of nursing as it relates to the functions of nursing. Facility policies may restrict practice further in their setting and/or require additional expectations related to competency, validation, training, and supervision to assure the safety of their patient population and or decrease risk.

Within the Scope of Practice of  X  RN   LPN

**OPINION: ANALGESIA:**  
INTRASPINAL (EPIDURAL AND/OR  
INTRATHECAL) MEDICATION  
**APPROVED: 1/90**  
REVISED DATE: 6/99, 11/04, 3/08, 9/11  
**ORIGINATING COMMITTEE:**  
SCOPE OF PRACTICE COMMITTEE

### ADVISORY OPINION ANALGESIA BY CATHETER TECHNIQUES\* EPIDURAL, INTRATHECAL, INTERPLEURAL, PERINEURAL

It is within the Scope of Practice of a Registered Nurse (RN) to administer catheter delivered medication for the purpose of analgesia and/or treatment of spasticity and depending on the patient population, access, refill, and reprogram implanted or external pumps if the following requirements, instructions and exceptions are met.

This advisory opinion can not be construed as approval for the RN to administer an anesthetic as in A.R.S. §32-1661.

\*Catheter Techniques: All non-intravenous catheters used to provide analgesia, including but not limited to analgesia administered by the epidural, intrathecal, intrapleural, and perineural routes of administration.

#### I. GENERAL REQUIREMENTS

- A. Only RNs who have satisfactorily completed an instructional program and have had supervised clinical practice are allowed to administer and manage analgesia by catheter techniques.
- B. The catheter or port must be placed by a licensed independent practitioner (LIP) or Certified RN Anesthetist (CRNA) as authorized by institutional privileging to administer anesthesia and who assumes responsibility for verifying proper placement and monitoring of the *initial* test dose of the medication after tube placement. They are also responsible for selecting and ordering the medications, dosage ranges (if applicable) and concentrations which may include opioids, local anesthetics, steroids, alpha agonists, or other documented safe medications or combinations thereof.
- C. After the above tasks have been completed by the LIP/CRNA and the patient's vital signs have stabilized and analgesic level has been established the competent RN may:

Task	Non OB Patient	OB Patient
Administer and manage continuous infusions via a pump	RN	RN**
Administer bolus dose via a continuous infusion pump	RN	LIP/CRNA
Initiate infusion and run infusion of <u>opioids</u> analgesia at the prescribed rate	RN	LIP/CRNA
Manipulate Patient Controlled Epidural Analgesia doses (PCEA)_or dosage intervals per protocol or order	RN	LIP/CRNA
Upon order of qualifying LIP/CRNA, increase or decrease infusion rates (non PCEA)	RN	LIP/CRNA
Change the medication bag/syringe with identical, pharmacy prepared/prepackaged medication when prior device is empty	RN	RN**
Initiate emergency measures including stopping infusion if complications arise	RN	RN**
Remove epidural catheter on direction of LIP	RN	RN**

\*\*Anesthesia care provider IS IMMEDIATELY AVAILABLE AS DEFINED IN INSTITUTIONAL POLICY.

- D. The registered nurse has the right and the responsibility to REFUSE to administer any medication(s) when in the professional judgment of the registered nurse, the medication or combination of medications, the dosages prescribed, or frequency of administration may place the patient at risk for complication.
- E. The employer/agency maintains:
1. Documentation of satisfactory completion of the instructional program and supervised clinical practice.
  2. Written policy and procedures for patient monitoring, drug administration and management, and protocols for dealing with potential complications or emergency situations are available and have been developed in conjunction with the anesthesia care provider or CRNA.
  3. A competency validation mechanism documenting the preplanned, periodic evaluation of the initial and continued competency to manage the care of patients receiving analgesia by catheter technique.

**II. COURSE OF INSTRUCTION** for RNs who assume responsibility for the care of the patient receiving catheter or infusion device analgesia is to include but not be limited to:

- A. Anatomy and physiology of the area involving the inserted catheter, including dermatome levels.
- B. Potential adverse reactions and appropriate nursing interventions.
- C. Maintenance of the catheter and/or infusion device and related equipment.
- D. Pharmacological indications, contraindications, and complications of

- commonly used medications administered by catheter routes.
- E. Nursing care responsibilities as defined and approved by institutional policy, including but not limited to: assessment of vital signs, motor function, dermatome levels, level of consciousness and perception of pain.
  - F. Catheter removal technique specific type and location of the catheter used.
  - G. Legal ramifications of management and monitoring of analgesia by catheter techniques.
  - H. Patient/family education.

### **III. RATIONALE**

Due to recent advances in the pain management field, including technological improvements of catheter/infusion delivery devices, there has been an increased demand and use of catheter related analgesia in the clinical setting. The requisite knowledge and clinical skill acquisition necessary to provide safe administration of analgesia via catheter routes are not included in the basic education programs for entry as an RN. Although complications are rare, for patient safety and to prevent adverse outcomes, this practice should be reserved for RNs who have additional training with supervised clinical practice and are functioning within their agencies policies and procedures.

### **IV. REFERENCES**

American Association of Nurse Anesthetists (2003) *Position Statement Number 2.8 Provision of Pain Relief by Medication Administered via Continuous Epidural, Intrathecal, Intrathecal, and Peripheral Nerve Catheters, or other Pain Devices*. Obtained via [www.aana.com](http://www.aana.com), Copyright 2010.

Association of Women's Health, Obstetric and Neonatal Nurses (2007). Role of the Registered Nurse (RN) in the care of the pregnant woman receiving analgesia/anesthesia by catheter techniques (epidural, intrathecal, spinal, PCEA catheters).

Coyne, P.J. (2003). When the World Health Organization Fails: The role of invasive analgesic therapies. *Oncology Nursing Forum*, 30 (5), 777-783.

Mahlmeister, L. (2003). Nursing Responsibilities in Preventing, Preparing for, and Managing Epidural Emergencies. *Journal of Perinatal Neonatal Nursing* Vol 17, No. 1, pp 19/32

Pasero, C., & Eksterowicz, N., Primeau, M., & Cowley, C. (2007). Registered Nurse management and monitoring of analgesia by catheter techniques: Position statement. *Pain Management Nursing*, 8 (2), 48-54.

Kentucky Board of Nursing. Advisory opinion statement: Roles of nurses in administration of medication per Intraspinal routes. Revised April 2007

Oklahoma Board of Nursing. Policy/Guideline #P-04 Registered Nurse Monitoring Non-Obstetrical Patients Receiving Analgesia/Anesthesia by Catheter Techniques (Epidural, PCEA and Intrathecal Catheters) Guidelines. Revised 5/27/2008

Oklahoma Board of Nursing. Policy/Guideline #P-04 Registered Nurse Monitoring **Obstetrical** Patients Receiving Analgesia/Anesthesia by Catheter Techniques (Epidural, PCEA and Intrathecal Catheters) Guidelines. Revised 5/27/2008

Massachusetts Health and Human Services. Management of Patients receiving analgesia by catheter technique. July, 2010.

Washington State Department of Health. Washington State nursing care quality assurance commission position statement on: Managing patients receiving epidural analgesia. Position Statement adopted August 2003.

Wyoming State Board of Nursing Advisory Opinion; Management of analgesia by catheter-RN